



# LPG MINI KITS

Product Catalogue

# LPG MINI KITS

We are designer, manufacturer and supplier of components and solutions for alternative fuels in the area of gas injection systems automotive conversions. From this catalogue you will learn about our range of products we have on offer **VERSUSGAS** offers conversion kits for vehicles both for **LPG** as **CNG** fuel.

1. **Each MINI KIT** contains all necessary montage parts.
2. **Each MINI KIT** includes one of the ECU and Reducer:



**ECU F-controller** (only 4 cyl. version)  
without built-in OBD function



**ECU V-controller**  
(we have 4cyl., 6 cyl., and 8 cyl.)  
with built-in OBD function



**Reduktor Standard**  
(power up to 200 horses)



**Reduktor Super**  
(power up to 300 horses)

**As well as: cable, map sensor, switch and installation kit.**

*"We reserve the right to make changes to the composition of sets, technical specifications, product availability, or any other information without prior notice."*

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1F/1/1/1/1

KIT VERSUS: V4F/VRL/FH02-4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa wtryskiwaczy FH02-4/INJECTOR FH02-4CYL SET	LW.4 KPL	1
<b>3c</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewiec, POLAND

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1F/1/3/2/1

KIT VERSUS: V4F/VRL/2XFH02-2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa wtryskiwaczy FH02-2/INJECTOR FH02-2CYL SET	LW.2 KPL	2
<b>3c</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1F/2/1/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4F/VRL-S/FH02-4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa wtryskiwaczy FH02-4/INJECTOR FH02-4CYL SET	LW.4 KPL	1
<b>3c</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewiec, POLAND

# LPG MINI KIT

Product: 1F/2/3/2/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4F/VRL-S/2XFH02-2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa wtryskiwaczy FH02-2/INJECTOR FH02-2CYL SET	LW.2.KPL	2
<b>3c</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewiec, POLAND

# LPG MINI KIT

Product: 1F/1/4R/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4F/VRL/LWR4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa Razor 4-cyl./Razor injector 4-cyl.	LWR.4 KPL	1
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1F/1/4R1/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4F/VRL/LWR4.1/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Wtryskiwacz Razor/Razor injector 1-cyl.	LWR.1 KPL	4
<b>3c</b> Rozdzielacz/Distributor 12/6 mm 4-cyl.	R12/6/4CYL	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewiec, POLAND



# LPG MINI KIT


Product: 1F1/1/4R2/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4F.1/VRL/LWR4.2/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu typ "T"/GAS TEMP. SENSOR "T"	EL.CTG.T	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Wtryskiwacz Razor baza/Razor injector body	LWR.1B	4
<b>3c</b> Trójnik Razor/T-Adapter 12mm	LWR.AT	3
<b>3d</b> Kolanko Razor/L-Adapter 12mm	LWR.AK	1
<b>4</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>5</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewiec, POLAND

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1F/1/2R2/2/1

KIT VERSUS: V4F/VRL/2XLWR2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa Razor 2-cyl./Razor injector 2-cyl.	LWR.2 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1F/2/4R/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4F/VRL-S/LWR4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa Razor 4-cyl./Razor injector 4-cyl.	LWR.4 KPL	1
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1F/2/4R1/1/1

KIT VERSUS: V4F/VRL-S/LWR4.1/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Wtryskiwacz Razor/Razor injector 1-cyl.	LWR.1 KPL	4
<b>3c</b> Rozdzielacz/Distributor 12/6 mm 4-cyl.	R12/6/4CYL	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1F1/2/4R2/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4F.1/VRL-S/LWR4.2/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu typ "T"/GAS TEMP. SENSOR "T"	EL.CTG.T	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Wtryskiwacz Razor baza/Razor injector body	LWR.1B	4
<b>3c</b> Trójnik Razor/T-Adapter 12mm	LWR.AT	3
<b>3d</b> Kolanko Razor/L-Adapter 12mm	LWR.AK	1
<b>4</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>5</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1F/2/2R2/2/1

KIT VERSUS: V4F/VRL-S/2XLWR2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller without built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS FABOS LPG 4-CYL	EL.P4-FAB.L	1
<b>1b</b> Sterownik VERSUS 4-cyl FABOS/ECU FABOS 4-CYL	EL.V4.FAB	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa Razor 2-cyl./Razor injector 2-cyl.	LWR.2 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



[www.versusgas.com](http://www.versusgas.com)

+ 48 25 759 42 61

[info@versusgas.com](mailto:info@versusgas.com)

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1LO/1/1/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL/FH02-4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa wtryskiwaczy FH02-4/INJECTOR FH02-4CYL SET	LW.4 KPL	1
<b>3c</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1LO/1/3/2/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL/2XFH02-2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa wtryskiwaczy FH02-2/INJECTOR FH02-2CYL SET	LW.2 KPL	2
<b>3c</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND



# LPG MINI KIT

Product: 1LO/2/1/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL-S/FH02-4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa wtryskiwaczy FH02-4/INJECTOR FH02-4CYL SET	LW.4 KPL	1
<b>3c</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1LO/2/3/2/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL-S/2XFH02-2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa wtryskiwaczy FH02-2/INJECTOR FH02-2CYL SET	LW.2 KPL	2
<b>3c</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Dębowa 82  
05-300 Królewiec, POLAND

# LPG MINI KIT

Product: 1LO/1/4R/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL/LWR4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa Razor 4-cyl./Razor injector 4-cyl.	LWR.4 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Dębowa 82  
05-300 Królewiec, POLAND

# LPG MINI KIT

Product: 1LO/1/4R1/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL/LWR4.1/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Wtryskiwacz Razor/Razor injector 1-cyl.	LWR.1 KPL	4
<b>3c</b> Rozdzielacz/Distributor 12/6 mm 4-cyl.	R12/6/4CYL	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Dębowa 82  
05-300 Królewiec, POLAND

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1LO1/1/4R2/1/1

KIT VERSUS: V4LO.1/VRL/LWR4.2/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu typ "T"/GAS TEMP. SENSOR "T"	EL.CTG.T	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Wtryskiwacz Razor baza/Razor injector body	LWR.1B	4
<b>3c</b> Trójnik Razor/T-Adapter 12mm	LWR.AT	3
<b>3d</b> Kolanko Razor/L-Adapter 12mm	LWR.AK	1
<b>4</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>5</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



[www.versusgas.com](http://www.versusgas.com)

+ 48 25 759 42 61

[info@versusgas.com](mailto:info@versusgas.com)

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Dębowa 82  
05-300 Królewiec, POLAND

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1LO/1/2R2/2/1

KIT VERSUS: V4LO/VRL/2XLWR2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa Razor 2-cyl./Razor injector 2-cyl.	LWR.2 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F2	1



[www.versusgas.com](http://www.versusgas.com)

+ 48 25 759 42 61

[info@versusgas.com](mailto:info@versusgas.com)

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Dębowa 82  
05-300 Królewiec, POLAND

# LPG MINI KIT

GAS CONVERSION SET 4 - CYLINDER ENGINES

Product: 1LO/2/4R/1/1

KIT VERSUS: V4LO/VRL-S/LWR4/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa Razor 4-cyl./Razor injector 4-cyl.	LWR.4 KPL	1
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Dębowa 82  
05-300 Królewiec, POLAND

# LPG MINI KIT

Product: 1LO/2/4R1/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL-S/LWR4.1/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Wtryskiwacz Razor/Razor injector 1-cyl.	LWR.1 KPL	4
<b>3c</b> Rozdzielacz/Distributor 12/6 mm 4-cyl.	R12/6/4CYL	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND



# LPG MINI KIT

Product: 1LO1/2/4R2/1/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO.1/VRL-S/LWR4.2/F1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu typ "T"/GAS TEMP. SENSOR "T"	EL.CTG.T	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Wtryskiwacz Razor baza/Razor injector body	LWR.1B	4
<b>3c</b> Trójnik Razor/T-Adapter 12mm	LWR.AT	3
<b>3d</b> Kolanko Razor/L-Adapter 12mm	LWR.AK	1
<b>4</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>5</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 1LO/2/2R2/2/1

GAS CONVERSION SET 4 - CYLINDER ENGINES

KIT VERSUS: V4LO/VRL-S/2XLWR2/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **4-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P4 LPG 4-CYL OBD	EL.P4.LO	1
<b>1b</b> Sterownik VERSUS 4-cyl OBD/ ECU V4 4-CYL OBD	EL.V4.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa Razor 2-cyl./Razor injector 2-cyl.	LWR.2 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	5
<b>4</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewec, POLAND

# LPG MINI KIT

Product: 6LO/1/23/2/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL/2XFH02-3/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa wtryskiwaczy FH02-3/INJECTOR FH02-3 CYL SET	LW.3 KPL	2
<b>3c</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 6LO/2/23/11/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL-S/2XFH02-3/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa wtryskiwaczy FH02-3/INJECTOR FH02-3 CYL SET	LW.3 KPL	2
<b>3c</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	2
<b>3d</b> Trójnik Y 12/12/12 aluminium/GAS Y-FITTING	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewec, POLAND

# LPG MINI KIT

Product: 6LO/1/23R/2/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL/2xLWR3/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Listwa Razor 3-cyl./Razor injector 3-cyl.	LWR.3 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	7
<b>4</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewiec, POLAND

# LPG MINI KIT

Product: 6LO/1/23R1/2/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL/2xLWR3.1/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Wtryskiwacz Razor/Razor injector 1-cyl.	LWR.1 KPL	6
<b>3c</b> Rozdzielacz/Distributor 12/6 mm 3-cyl.	R12/6/3CYL	2
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	7
<b>4</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 6LO1/1/23R2/2/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL/2xLWR3.1/F2/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu typ "T"/GAS TEMP. SENSOR "T"	EL.CTG.T	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L Std KPL/REDUCER VR-L STD KIT	RD.VL	1
<b>3b</b> Wtryskiwacz Razor baza/Razor injector body	LWR.1B	6
<b>3c</b> Trójnik Razor/T-Adapter 12mm	LWR.AT	4
<b>3d</b> Kolanko Razor/L-Adapter 12mm	LWR.AK	2
<b>4</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	7
<b>5</b> Filtr fazy lotnej 1-2 12 mm/FILTER 1-2 12 mm	F2	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 6LO/2/23R/11/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL-S/2xLWR3/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa Razor 3-cyl./Razor injector 3-cyl.	LWR.3 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	7
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	2
<b>5</b> Trójnik Y 12/12/12 aluminium/GAS Y-FITTING	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewec, POLAND



# LPG MINI KIT

Product: 6LO/2/23R1/11/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL-S/2xLWR3.1/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer standard is designed for machines with power up to 200 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VL	1
<b>3b</b> Wtryskiwacz Razor/Razor injector 1-cyl.	LWR.1 KPL	6
<b>3c</b> Rozdzielacz/Distributor 12/6 mm 3-cyl.	R12/6/3CYL	2
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	7
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	2
<b>5</b> Trójnik Y 12/12/12 aluminium/GAS Y-FITTING	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 6LO1/2/23R2/11/1

GAS CONVERSION SET 6 - CYLINDER ENGINES

KIT VERSUS: 6LO.1/VRL-S/2xLWR3.2/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **6-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part name	Qty
<b>1a</b> Okablowanie/HARNESS P6 LPG 6-CYL OBD	EL.P6.LO	1
<b>1b</b> Sterownik VERSUS 6-cyl OBD/ ECU V6 6-CYL OBD	EL.V6.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu typ "T"/GAS TEMP. SENSOR "T"	EL.CTG.T	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Wtryskiwacz Razor baza/Razor injector body	LWR.1B	6
<b>3c</b> Trójnik Razor/T-Adapter 12mm	LWR.AT	4
<b>3d</b> Kolanko Razor/L-Adapter 12mm	LWR.AK	2
<b>4</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	7
<b>5</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-12 12 mm	F1	2
<b>5a</b> Trójnik Y 12/12/12 aluminium/GAS Y-FITTING	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 8LO/2/24/11/1

GAS CONVERSION SET 8 - CYLINDER ENGINES

KIT VERSUS: V8LO/VRL-S/2XFH02-4/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **8-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes basic injectors of the type FH-02.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P8 LPG 8-CYL OBD	EL.P8.LO	1
<b>1b</b> Sterownik VERSUS 8-cyl OBD/ ECU V8 8-CYL OBD	EL.V8.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa wtryskiwaczy FH02-4/INJECTOR FH02-4 CYL SET	LW.4 KPL	2
<b>3c</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	2
<b>3d</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 8LO/2/24R/11/1

GAS CONVERSION SET 8 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL-S/2xLWR3/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **8-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P8 LPG 8-CYL OBD	EL.P8.LO	1
<b>1b</b> Sterownik VERSUS 8-cyl OBD/ ECU V8 8-CYL OBD	EL.V8.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Listwa Razor 4-cyl./Razor injector 4-cyl.	LWR.4 KPL	2
<b>3c</b> Redukcja M14-M12/REDUCTION NOZZLE M14/12	RD.CTG.M14-M12	1
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	9
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	2
<b>5</b> Trójnik Y 12/12/12 aluminium/GAS Y-FITTING	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 8LO/2/24R1/11/1

GAS CONVERSION SET 8 - CYLINDER ENGINES

KIT VERSUS: V6LO/VRL-S/2xLWR4.1/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **8-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P8 LPG 8-CYL OBD	EL.P8.LO	1
<b>1b</b> Sterownik VERSUS 8-cyl OBD/ ECU V8 8-CYL OBD	EL.V8.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.MARM	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu/GAS TEMP. SENSOR STD	EL.CTG.B	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Wtryskiwacz Razor/Razor injector 1-cyl	LWR.1 KPL	8
<b>3c</b> Rozdzielacz/Distributor 12/6 mm 4-cyl.	R12/6/4CYL	2
<b>3d</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	9
<b>4</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-1 12 mm	F1	2
<b>5</b> Trójnik Y 12/12/12 aluminium/GAS Y-FITTING	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

# LPG MINI KIT

Product: 8LO1/2/24R2/11/1

GAS CONVERSION SET 8 - CYLINDER ENGINES

KIT VERSUS: 8LO.1/VRL-S/2xLWR4.2/F1.1/PW

This Mini Kit for converting your car from gasoline to gas fuel comes with all the essential components. The controller with built-in OBD function is designed for **8-cylinder** engines, providing reliable and safe operation. The reducer super is designed for machines with power up to 300 horses. The kit includes more advanced type injectors - Razor.

Part name	Part number	Qty
<b>1a</b> Okablowanie/HARNESS P8 LPG 8-CYL OBD	EL.P8.LO	1
<b>1b</b> Sterownik VERSUS 8-cyl OBD/ ECU V8 8-CYL OBD	EL.V8.OBD	1
<b>1c</b> Map-sensor Absolute XFP1/MAP-SENSOR XFP1	EL.MARM	1
<b>1d</b> Konsolka OBD/CHANGE-OVER SWITCH	EL.SW.OBD	1
<b>1e</b> Czujnik temp. reduktora/REDUCER'S TEMP. SENSOR	EL.CTR	1
<b>1f</b> Czujnik temp. gazu typ "T"/GAS TEMP. SENSOR "T"	EL.CTG.T	1
<b>1g</b> Trójnik podciśnienia/T-FITTING FOR VACUUM	EL.AK.TRVAC	1
<b>1h</b> Obudowa konektora/ELECTRICAL CONNECTOR BOX	EL.AK.OB.EL	2
<b>1i</b> Konektor żeński/FEMALE ELECTRICAL CONNECTOR	EL.AK.ZL.Z	2
<b>1j</b> Konektor oczkowy/ELECTRICAL CONNECTOR "RING"	EL.AK.ZL.O	2
<b>1k</b> Gniazdo bezpiecznika/FUSE CASE	EL.B.OBB	1
<b>1l</b> Bezpiecznik/FUSE 10A	EL.B.10A	1
<b>2</b> Sensor Pełnego Wskazania/AEB 1050 SENSOR KIT	PW AEB	1
<b>3a</b> Reduktor VR-L SUPER KPL/REDUCER VR-L SUPER KIT	RD.VLS	1
<b>3b</b> Wtryskiwacz Razor baza/Razor injector body	LWR.1B	8
<b>3c</b> Trójnik Razor/T-Adapter 12mm	LWR.AT	6
<b>3d</b> Kolanko Razor/L-Adapter 12mm	LWR.AK	2
<b>4</b> Dysza kolektora/INLET MANIFOLD NOZZLE	LW.DKL	9
<b>4a</b> Filtr fazy lotnej 1-1 12 mm/FILTER 1-12 12 mm	F1	2
<b>5</b> Trójnik Y 12/12/12 aluminium/GAS Y-FITTING	F.Y	1



www.versusgas.com

+ 48 25 759 42 61

info@versusgas.com

**VERSUSGAS**  
AUTO GAS equipment

VERSUSGAS Sp. z o.o.  
ul. Debowa 82  
05-300 Krolewicz, POLAND

**We offer a wide range assortment of Gas installation parts and accessories.**

Orders: [trade@versusgas.com](mailto:trade@versusgas.com)

Inquiries: [info@versusgas.com](mailto:info@versusgas.com)

Website: [www.versusgas.com](http://www.versusgas.com)

**VERSUSGAS** reserves the right to make any modification/improvement into its products at any time on the basis of its own assessment, without prior notice. The pictures, descriptions, product codes, technical data that are contained in this catalog are the property of **VERSUSGAS**. Copying of this property is prohibited without prior written permission

[www.versusgas.com](http://www.versusgas.com)

| + 48 25 759 42 61

| [info@versusgas.com](mailto:info@versusgas.com)



**VERSUSGAS Sp. z o.o.**  
ul. Debowa 82  
05-300 Krolewiec, POLAND