






LPG tanks & multivalves

A. LPG Tanks:

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK TOROID. (TOR. TANK INSIDE) 565/180-34	ZB 565/180-34	dimensions: a) 565 mm, b) 180 mm, capacity: 34 liters	20,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 580/200-41	ZB 580/200-41	dimensions: a) 580 mm, b) 200 mm, capacity: 41 liters	22,3 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 580/225-46	ZB 580/225-46	dimensions: a) 580 mm, b) 225 mm, capacity: 46 liters	23,4 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/190-41	ZB 600/190-41	dimensions: a) 600 mm, b) 190 mm, capacity: 41 liters	22,5 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/200-44	ZB 600/200-44	dimensions: a) 600 mm, b) 200 mm, capacity: 44 liters	23,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/225-50	ZB 600/225-50	dimensions: a) 600 mm, b) 225 mm, capacity: 50 liters	24,2 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/250-55	ZB 600/250-55	dimensions: a) 600 mm, b) 250 mm, capacity: 55 liters	25,2 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 600/270-60	ZB 600/270-60	dimensions: a) 600 mm, b) 270 mm, capacity: 60 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/200-48	ZB 630/200-48	dimensions: a) 630 mm, b) 200 mm, capacity: 48 liters	25,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/225-55	ZB 630/225-55	dimensions: a) 630 mm, b) 225 mm, capacity: 55 liters	26,2 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/250-62	ZB 630/250-62	dimensions: a) 630 mm, b) 250 mm, capacity: 62 liters	27,4 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 630/270-67	ZB 630/270-67	dimensions: a) 630 mm, b) 270 mm, capacity: 67 liters	28,3 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/200-52	ZB 650/200-52	dimensions: a) 650 mm, b) 200 mm, capacity: 52 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/230-59	ZB 650/230-59	dimensions: a) 650 mm, b) 230 mm, capacity: 59 liters	28,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/250-67	ZB 650/250-67	dimensions: a) 650 mm, b) 250 mm, capacity: 67 liters	29,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 650/270-72	ZB 650/270-72	dimensions: a) 650 mm, b) 270 mm, capacity: 72 liters	31,0 kg	

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/200-58	ZB 680/200-58	dimensions: a) 680 mm, b) 200 mm, capacity: 58 liters	28,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/220-67	ZB 680/220-67	dimensions: a) 680 mm, b) 220 mm, capacity: 67 liters	30,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/250-75	ZB 680/250-75	dimensions: a) 680 mm, b) 250 mm, capacity: 75 liters	32,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 680/270-82	ZB 680/270-82	dimensions: a) 680 mm, b) 270 mm, capacity: 82 liters	34,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 720/250-80	ZB 720/250-80	dimensions: a) 720 mm, b) 250 mm, capacity: 80 liters	35,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 720/270-87	ZB 720/270-87	dimensions: a) 720 mm, b) 270 mm, capacity: 87 liters	37,0 kg	
ZBIORNIK TOROID. (TOR. TANK INSIDE) 720/300-98	ZB 720/300-98	dimensions: a) 720 mm, b) 300 mm, capacity: 98 liters	39,0 kg	

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 565/180-34	ZB 565/180-34 Z	dimensions: a) 565 mm, b) 180 mm, capacity: 34 liters	20,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 580/200-41	ZB 580/200-41 Z	dimensions: a) 580 mm, b) 200 mm, capacity: 41 liters	22,3 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 580/225-46	ZB 580/225-46 Z	dimensions: a) 580 mm, b) 225 mm, capacity: 46 liters	23,4 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/190-41	ZB 600/190-41 Z	dimensions: a) 600 mm, b) 190 mm, capacity: 41 liters	22,5 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/200-44	ZB 600/200-44 Z	dimensions: a) 600 mm, b) 200 mm, capacity: 44 liters	23,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/225-50	ZB 600/225-50 Z	dimensions: a) 600 mm, b) 225 mm, capacity: 50 liters	24,2 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/250-55	ZB 600/250-55 Z	dimensions: a) 600 mm, b) 250 mm, capacity: 55 liters	25,2 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 600/270-60	ZB 600/270-60 Z	dimensions: a) 600 mm, b) 270 mm, capacity: 60 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/200-48	ZB 630/200-48 Z	dimensions: a) 630 mm, b) 200 mm, capacity: 48 liters	25,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/225-55	ZB 630/225-55 Z	dimensions: a) 630 mm, b) 225 mm, capacity: 55 liters	26,2 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/250-62	ZB 630/250-62 Z	dimensions: a) 630 mm, b) 250 mm, capacity: 62 liters	27,4 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 630/270-67	ZB 630/270-67 Z	dimensions: a) 630 mm, b) 270 mm, capacity: 67 liters	28,3 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/200-52	ZB 650/200-52 Z	dimensions: a) 650 mm, b) 200 mm, capacity: 52 liters	26,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/230-59	ZB 650/230-59 Z	dimensions: a) 650 mm, b) 230 mm, capacity: 59 liters	28,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/250-67	ZB 650/250-67 Z	dimensions: a) 650 mm, b) 250 mm, capacity: 67 liters	29,0 kg	
ZBIORNIK TOROID. (TOR. TANK OUTSIDE) 650/250-72	ZB 650/270-72 Z	dimensions: a) 650 mm, b) 270 mm, capacity: 72 liters	31,0 kg	
ZBIORNIK TOROID. (TOR. TANK FULL) 650/200-58	ZB 650/200-58 ZP	dimensions: a) 650 mm, b) 200 mm, capacity: 58 liters	27,0 kg	
ZBIORNIK TOROID. (TOR. TANK FULL) 650/230-64	ZB 650/230-64 ZP	dimensions: a) 650 mm, b) 230 mm, capacity: 64 liters	29,0 kg	
ZBIORNIK TOROID. (TOR. TANK FULL) 650/250-72	ZB 650/250-72 ZP	dimensions: a) 650 mm, b) 250 mm, capacity: 72 liters	31,0 kg	
ZBIORNIK TOROID. (TOR. TANK FULL) 650/270-78	ZB 650/270-78 ZP	dimensions: a) 650 mm, b) 280 mm, capacity: 78 liters	32,0 kg	

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/35	ZB 315/35	dimensions: a) 315 mm, b) 540 mm, capacity: 35 liters	15,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/40	ZB 315/40	dimensions: a) 315 mm, b) 592 mm, capacity: 40 liters	16,6 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/45	ZB 315/45	dimensions: a) 315 mm, b) 670 mm, capacity: 45 liters	17,5 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/50	ZB 315/50	dimensions: a) 315 mm, b) 735 mm, capacity: 50 liters	19,8 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/55	ZB 315/55	dimensions: a) 315 mm, b) 800 mm, capacity: 55 liters	21,3 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/60	ZB 315/60	dimensions: a) 315 mm, b) 870 mm, capacity: 60 liters	23,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/65	ZB 315/65	dimensions: a) 315 mm, b) 940 mm, capacity: 65 liters	25,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/70	ZB 315/70	dimensions: a) 315 mm, b) 1000 mm, capacity: 70 liters	26,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/80	ZB 315/80	dimensions: a) 315 mm, b) 1140 mm, capacity: 80 liters	29,2 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/90	ZB 315/90	dimensions: a) 315 mm, b) 1275 mm, capacity: 90 liters	32,3 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 315/100	ZB 315/100	dimensions: a) 315 mm, b) 1410 mm, capacity: 100 liters	35,5 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/50	ZB 360/50	dimensions: a) 360 mm, b) 589 mm, capacity: 50 liters	19,6 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/60	ZB 360/60	dimensions: a) 360 mm, b) 674 mm, capacity: 60 liters	22,6 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/70	ZB 360/70	dimensions: a) 360 mm, b) 774 mm, capacity: 70 liters	25,3 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/80	ZB 360/80	dimensions: a) 360 mm, b) 878 mm, capacity: 80 liters	28,0 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/90	ZB 360/90	dimensions: a) 360 mm, b) 980 mm, capacity: 90 liters	30,7 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/100	ZB 360/100	dimensions: a) 360 mm, b) 1082 mm, capacity: 100 liters	33,4 kg	
ZBIORNIK CYLINDRYCZNY (CYLINDRICAL TANK) 360/110	ZB 360/110	dimensions: a) 360 mm, b) 1184 mm, capacity: 110 liters	36,0 kg	

B. Other Components:

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
Wielozawór/Multivalve TOR WFP 190-30	MVAT0A08.1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set 14 kg one carton	
Wielozawór/Multivalve TOR WFP 204-30	MVAT0A09.1			
Wielozawór/Multivalve TOR WFP 220/225-30	MVAT0A12.1			
Wielozawór/Multivalve TOR WFP 230/240-30	MVAT0A14.1			
Wielozawór/Multivalve TOR WFP 250-30	MVAT0A16.1			
Wielozawór/Multivalve TOR WFP 270-30	MVAT0A18.1			
Wielozawór/MULTIVALVE TOR EWFP 220/225-30EXTRA BZW	MVAT0A12X1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set 14 kg one carton	
Wielozawór/MULTIVALVE TOR EWFP 230/240-30EXTRA BZW	MVAT0A14X1			
Wielozawór/MULTIVALVE TOR EWFP 250-30 EXTRA BZW	MVAT0A16X1			
Wielozawór/MULTIVALVE TOR EWFP 270-30 EXTRA BZW	MVAT0A18X1			
Wielozawór/MULTIVALVE TOR EWFP 300-30 EXTRA BZW	MVAT0A68X1			
Wielozawór/Multivalve TOR WFP 180/190-0	MVAT0E02.1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set 14 kg one carton	
Wielozawór/Multivalve TOR WFP 200/204-0	MVAT0E03.1			
Wielozawór/Multivalve TOR WFP 220/225-0	MVAT0E06.1			
Wielozawór/Multivalve TOR WFP 230-0	MVAT0E08.1			
Wielozawór/Multivalve TOR WFP 240/250-0	MVAT0E09.1			
Wielozawór/Multivalve TOR WFP 270-0	MVAT0E11.1			
Wielozawór/MULTIVALVE TOR EWFP 240/250-0 EXTRA BZW	MVAT0E09X1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set 14 kg one carton	
Wielozawór/MULTIVALVE TOR EWFP 270-0 EXTRA BZW	MVAT0E11X1			
Wielozawór/Multivalve CYL WFP 244-30	MVAT0A02.1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set 14 kg one carton	
Wielozawór/Multivalve CYL WFP 270-30	MVAT0A03.1			
Wielozawór/Multivalve CYL WFP 300-30	MVAT0A04.1			

Catalogue Name	Catalog Code	Packaging unit/minimal order/remarks	Weight of unit	Picture
Wielozawór/Multivalve CYL WFP 315-30	MVAT0A05.1	Minimal order: 10 pcs in groupage carton 40/60/26 14 kg	1,4 kg per one set 14 kg one carton	
Wielozawór/Multivalve CYL WFP 360-30	MVAT0A06.1			
Wielozawór/Multivalve CYL WFP 400-30	MVAT0A07.1			
Wielozawór/MULTIVALVE CYL EWFP 360-30 EXTRA BZW	MVAT0A06X1			
Wielozawór/MULTIVALVE CYL EWFP 360-90 EXTRA BZW	MVAT0A35X1			
Obudowa wielozaworu/GAS-TIGHT HOUSING	CMAT0005	Suggested order: 10 pcs in groupage carton 40/60/26 3,5 kg	0,3 kg per one set	
Zawór tankowania/FILLING VALVE	MVAT3311	1 pcs	0,5 kg per one set	
Zawór tankowania sportowy/SPORT FILLING VALVE	MVAT3302	1 pcs	0,5 kg per one set	
Zawór tank. sport. długi/SPORT FILLING VALVE „LONG”	MVAT3306	1 pcs	0,6 kg per one set	
Przejście ACME – Polska/Niemcy, Belgia – M10 / FILLING POINT ADAPTER ACME – M10 Poland/Germany, Belgium	FHT222/10	1 pcs	0,3 kg	
Przejście – BAJONETT – Polska, Włochy/Holandia – M10 / FILLING POINT ADAPTER BAYONET – M10 Poland, Italy / Dutch	FHT224/10	1 pcs	0,2 kg	
KPL. redukcji 6/8 /MV REDUCTION 6/8 mm	FHT231A		0,1 kg per one set	
KPL. red. kątownej /MV L-SHAPE REDUCTION 6/8 mm	FHT331A		0,2 kg per one set	

Toroidal internal

Lp.	Capacity (l)	Diameter (mm)	Height (mm)	Weight (kg)
1	34	565	180	17
2	37	580	180	18
3	41	580	200	19
4	46	580	225	20
5	38	600	180	19
6	41	600	190	20
7	44	600	200	21
8	50	600	225	22
9	55	600	250	23
10	60	600	270	24
11	44	630	180	20
12	49	630	200	21
13	56	630	225	22
14	63	630	250	22
15	69	630	270	24
16	77	630	300	26
17	47	650	180	21
18	52	650	200	22
19	59	650	230	23
20	67	650	250	24
21	72	650	270	25
22	79	650	300	26
23	50	680	180	22
24	58	680	200	23
25	67	680	225	25
26	75	680	250	27
27	82	680	270	28
28	92	680	300	30
29	56	720	180	29
30	62	720	200	31
31	74	720	230	33
32	80	720	250	35
33	87	720	270	37
34	98	720	300	39

Toroidal External Full

Lp.	Capacity (l)	Diameter (mm)	Height (mm)	Weight (kg)
1	47	630	180	22
2	52	630	200	22
3	58	630	225	24
4	66	630	250	26
5	72	630	270	27
6	82	630	300	29
7	50	650	180	23
8	58	650	200	23

Toroidal External

Lp.	Capacity (l)	Diameter (mm)	Height (mm)	Weight (kg)
1	34	565	180	17
2	37	580	180	18
3	41	580	200	19
4	46	580	225	20
5	38	600	180	19
6	41	600	190	20
7	44	600	200	21
8	50	600	225	22
9	55	600	250	23
10	60	600	270	24
11	44	630	180	20
12	49	630	200	21
13	56	630	225	22
14	63	630	250	23
15	69	630	270	24
16	77	630	300	26
17	47	650	180	21
18	52	650	200	22
19	59	650	230	23
20	67	650	250	24
21	72	650	270	25
22	79	650	300	26

Cylindrical

Lp.	Capacity (l)	Diameter (mm)	Height (mm)	Weight (kg)
1	25	244	614	11
2	30	244	724	13
3	35	244	844	15
4	40	244	954	16
5	45	244	1069	18
6	50	244	1174	19
7	55	244	1304	21
8	60	244	1414	23
9	30	270	601	12
10	35	270	691	14
11	40	270	781	15
12	45	270	871	17
13	50	270	963	18
14	55	270	1056	20
15	40	300	638	14
16	45	300	708	16
17	50	300	778	17
18	55	300	858	19
19	60	300	963	20
20	65	300	1008	22
21	70	300	1078	23
22	40	315	582	14
23	45	315	660	16
24	50	315	724	17
25	55	315	784	19
26	60	315	853	20
27	65	315	923	21
28	70	315	984	22
29	80	315	1117	25
30	90	315	1248	27
31	100	315	1385	30
32	50	360	589	20
33	60	360	674	23
34	70	360	774	25

35	80	360	878	28
36	90	360	980	31
37	100	360	1082	33
38	110	360	1184	36
39	80	400	667	29
40	90	400	777	32
41	100	400	859	35
42	110	400	940	38
43	120	400	1015	41
44	130	400	1103	44
45	140	400	1184	47
46	150	400	1264	50
47	160	400	1341	53
48	170	400	1423	56
49	180	400	1497	59
50	190	400	1588	62
51	100	450	684	34
52	120	450	813	39
53	140	450	941	44
54	160	450	1076	49
55	180	450	1194	54
56	200	450	1324	59
57	220	450	1446	64
58	240	450	1573	69

We offer a wide range assortment of Gas installation parts and accessories.

Orders: trade@versusgas.com

Inquiries: info@versusgas.com

Website: www.versusgas.com

VERSUSGAS reserves the right to make any modification/improvement into its products at any time on the basis of its own assessment, without prior notice. The pictures, descriptions, product codes, technical data that are contained in this catalog are the property of **VERSUSGAS**. Copying of this property is prohibited without prior written permission.

www.versusgas.com

| + 48 25 759 42 61

| info@versusgas.com



VERSUSGAS Sp. z o.o.
ul. Debowa 82
05-300 Krolewicz, POLAND